VELION™

ELECTRIC VEHICLE CHARGER





Pre-production model shown throughout. Actual production model may vary.

REDEFINING RELIABILITY OF EV CHARGING

With over a century of industrial design expertise and proven reliability, Lincoln Electric® introduces the Velion™ electric vehicle charger. Delivering rapid charging speeds to meet your active lifestyle, the Velion is designed and built to perform for today's reality and tomorrow's.

Charging Type »

DC Fast Charging

DC Output Voltage » 200-1000V DC

DC Output Current »

Up to 150A

DC Output Power »

Up to 150kW

Input Voltage »

460VAC +/- 10% (60Hz), 3-Phase, Protective Earth (UL Model)



TECHNICAL SPECIFICATIONS*

Charging Station	
Charging Type	Level 3, DC Fast Charging
Input Voltage	460VAC +/- 10% (60Hz), 3-Phase, Protective Earth (UL Model)
DC Output Voltage	200-1000V DC
Output Current	up to 300A
DC Output Power (max)	150kW
Efficiency (full-load)	>95%
Power Factor (full-load)	> .95
THDi	< 4.5%
IP Rating	IP-54 (NEMA 3R)
IK Rating	IK08
Operating Temperature	-35 deg C to +50 deg C
Humidity	20 - 95% Rh non-condensing
Mounting	Free Standing Cabinet
Dimensions	36 x 24 x 72 (914 x 609 x 1828 mm)
Weight	750 lbs. (340.2 kg)

Pedestal		
Outlet Type	Single CCS Cable	
Network Connection	GSM/3G/4G modem;10/100 Base-T Ethernet	
Communication	OCPP 2.0.1 and 1.6	
Authentication/Payment	RFID/Credit card reader/App	
User Interface	15 in. LCD high-contrast touchscreen	
IP Rating	IP-54 (NEMA 3-R)	
IK Rating	IK08	
Operating Temperature	-35 deg C to +50 deg C	
Humidity	20 - 95% Rh non-condensing	
Mounting	Free Standing Cabinet	
Cable Length	12 ft. (3.7 m)	
Dimensions	18 x 18 x 78 (457 x 457 x 1981 mm)	
Weight	150 lbs. (3810 kg)	
System Certification Standards		
Charging System	UL2202, UL2231-1, -2, SAE J1772, SAE J2894	
Communication to the EV	DIN 70121, ISO15118-2/-3, ISO15118-20,	

CUSTOMER ASSISTANCE POLICY

The business of Lincoln Electric is manufacturing and selling high quality welding equipment, automated welding systems, consumables, and cutting equipment. Our challenge is to meet the needs of our customers, who are experts in their fields, and to exceed their expectations. On occasion, purchasers may ask Lincoln Electric for information or technical information about their use of our products. Our employees respond to inquiries to the best of their ability based on information and specifications provided to them by the customers and the knowledge they may have concerning the application. Our employees, however, are not in a position to verify the information provided or to evaluate the engineering requirements for the particular weldment, or to provide engineering advice in relation to a specific situation. Accordingly, Lincoln Electric does not warrant or guarantee or assume any liability with respect to such information or communications.

Moreover, the provision of such information or technical information does not create, expand, or alter any warranty on our products. Any express or implied warranty that might arise from the information in recluding any implied warranty of merchantability or any warranty of fitness for any customers' particular purpose or any other equivalent or similar warranty is specifically disclaimed.

Lincoln Electric is a responsive manufacturer, but the definition of specifications, and the selection and use of specific products sold by Lincoln Electric is solely within the control of, and remains the sole responsibility of the customer. Many variables beyond the control of Lincoln Electric affect the results obtained in applying these types of fabrication methods and service requirements.



^{*}Product specifications and features are subject to change. Confirm specification prior to purchase.